





a AGMASTER PTO SHAFTS



SERIES	Compatible with WALTERSCHEID series	Length mm (Centre UJ to Centre UJ Closed)	AGMASTER PART NUMBER
1	W2100-00c/0a	510	AG1-510-SC2
1	W2100-00c/0a	1010	AG1-1010-SC2
2	W2200-0v/1	760	AG2-760-SC2
2	W2200-0v/1	1010	AG2-1010-SC2
2	W2200-0v/1	1510	AG2-1510-SC2
3	W2300-0v/1	760	AG3-760-SC2
3	W2300-0v/1	1010	AG3-1010-SC2
3H	W2300-1b/2a	760	AG3H-760-SC2
3H	W2300-1b/2a	1010	AG3H-1010-SC2
3H	W2300-1b/2a	1510	AG3H-1510-SC2
4	W2400-1b/2a	1010	AG4-1010-SC2
4	W2400-1b/2a	1510	AG4-1510-SC2

Note : Standard WALTERSCHEID End Yokes and Fittings can be fitted to this range. All components interchangeable with WALTERSCHEID.

a AGMASTER CLUTCHES

TYPE	SERIES	DESCRIPTION	TORQUE	HUB	AGMASTER PART NUMBER
SHEAR BOLT					
	2	K61/1	910 nm	1 3/8x6 QR	4220101
	3	KB61/20	1860 nm	1 3/8x6 QR	4230103
	4	KB61/20	1860 nm	1 3/8x6 QR	4240103
OVERLOAD RATCHET					
	2	K32B	600 nm	1 3/8x6 QR	4220201
	3	K33B	900 nm	1 3/8x6 QR	4230202
	4	K34B	1200 nm	1 3/8x6 QR	4240203
FRICTION					
	2	K90/L2	800 nm	1 3/8x6 QR	4220300
	3	K90/L2	1000nm	1 3/8x6 QR	4230301
	4	K90/L2	1350 nm	1 3/8x6 QR	4240302
	4	K90/4T	1500 nm	1 3/8x6 CC	4240306
	5	K90/4T	1500 nm	1 3/8x6 QR	4250306
	5	K90/4T	1500 nm	1 3/4x20 CC	4250305
OVERRUNNING					
	2	F5/1R		1 3/8x6 QR	4220000
	3	F5/1R		1 3/8x6 QR	4230000
	4	F5/1R		1 3/8x6 QR	4240000

AGMASTER_DLS07.PDF ELECTRONIC DOWNLOAD BROCHURE

© Walterscheid Australia. Version 1.1 Aug 2007. No reproduction without written authorisation.

Information contained may be subject to change. Use products only for the specified applications.

WALTERSCHEID


SERVICED BY WALTERSCHEID

a

UJ KIT

interchange with

BONDIOLI & PAVESI
(BYPY)
WALTERSCHEID
WEASLER
NEAPCO
SPICER



TO SUIT SERIES				Y (Bearing Cap)	A (Cap-Cap)	AGMASTER PART NUMBER
AGMASTER	WALTERSCHEID	BONDIOLI				
		1		22.0mm	54.0mm	4B12054
1	2100			22.0mm	54.8mm	4212000
2	2200	2		23.8mm	61.2mm	4222000
	1	3		27.0mm	70.0mm	4B32070
3	2300	4		27.0mm	74.6mm	4232000
		5		30.2mm	79.4mm	4B52079
	220	6		30.2mm	91.4mm	4622000
4	2400			32.0mm	76.0mm	4242000
		7		34.9mm	94.0mm	4B72094
	240	8		34.9mm	106.4mm	4B82006
5	2500			36.0mm	89.0mm	4252000
AGMASTER	WEASLER	NEAPCO	SPICER			
12	12	1200	1140	1 1/16"	2 1/16"	4122000
14	14	2000	1240	1 1/8"	2 5/8"	4142000
35	35	2200	1340	1 1/4"	3 13/64"	4352000
44	44	44R	1440	1 5/16"	4"	4442000






a

interchange with WEASLER + NEAPCO + SPICER

END YOKES + BAR YOKES + BAR	SERIES	TYPE	AGMASTER PART NUMBER
<p>interchange with WEASLER + NEAPCO + SPICER</p> <p>QR Pin</p> <p>Slide Collar</p> <p>Bar Yoke</p> <p>Bar</p>	YOKES		
	12	1 3/8x6 QR Pin	4121006
	14	1 3/8x6 QR Pin	4141006
	14	1 3/8x6 Slide Collar	4141306
	14	1"x1 1/8 Rect Bar Yoke	4143200
	35	1 3/8x6 QR Pin	4351006
	35	1 3/8x6 Slide Collar	4351306
	35	1"x3/16 Sq Bar Yoke	4353300
	44	1 3/8x6 Slide Collar	4441306
	BAR		
	14	1"x1 1/8" Rect x 3'	4124203
	14	1"x1 1/8" Rect x 10'	4124210
	35	1 3/16" Sq x 3'	4354303
	35	1 3/16" Sq x 10'	4354310
44	1 5/16" Sq x 3'	4444403	

a

interchange with **BONDIOLI & PAVESI (BYPY)**


END YOKES	SERIES	TYPE	AGMASTER PART NUMBER	
Interchange with BONDIOLI & PAVESI (BYPY)  QR Pin  Slide Collar  Clamp Bolt	1	1 3/8x6 QR Pin	4B11006	
		1 3/8x21 QR Pin	4B11021	
	2	Refer to Genuine Walterscheid series 2200		
	3		1 3/8x6 QR Pin	4B31006
			1 3/8x6 Slide Collar	4B31306
			1 3/8x21 QR Pin	4B31021
			1 3/8x21 Slide Collar	4B31321
	4	Refer to Genuine Walterscheid series 2300		
	5		1 3/8x6 QR Pin	4B51006
			1 3/8x6 Slide Collar	4B51306
			1 3/8x21 QR Pin	4B51021
			1 3/8x21 Slide Collar	4B51321
			1 3/8x21 Clamp Bolt	4B58521
			1 3/4x20 QR Pin	4B51020
	6		1 3/8x6 QR Pin	4B61006
			1 3/8x6 Slide Collar	4B61306
			1 3/8x6 Clamp Bolt	4B68506
			1 3/8x21 QR Pin	4B61021
			1 3/8x21 Slide Collar	4B61321
			1 3/8x21 Clamp Bolt	4B68521
			1 3/4x20 QR Pin	4B61020
			1 3/4x20 Slide Collar	4B61320
			1 3/4x20 Clamp Bolt	4B68540
			1 3/8x6 QR Pin	4B71006
	7		1 3/8x6 Slide Collar	4B71306
			1 3/8x21 QR Pin	4B71021
			1 3/8x21 Slide Collar	4B71321
			1 3/4x6 QR Pin	4B71036
			1 3/4x20 QR Pin	4B71020
	8		1 3/4x20 Slide Collar	4B71320
			1 3/8x6 QR Pin	4B81006
			1 3/8x6 Slide Collar	4B81306
		1 3/8x6 Clamp Bolt	4B88506	
		1 3/8x21 QR Pin	4B81021	
		1 3/8x21 Slide Collar	4B81321	
		1 3/8x21 Clamp Bolt	4B88521	
		1 3/4x6 QR Pin	4B81036	
		1 3/4x20 QR Pin	4B81020	
		1 3/4x20 Slide Collar	4B81320	
	1 3/4x20 Clamp Bolt	4B88540		
TUBE YOKES (Trilobe)	SERIES	To Suit TUBE	AGMASTER PART NUMBER	
Interchange with BONDIOLI & PAVESI (BYPY)  TRILOBE TUBE YOKE	1	inner 26.5x3.4	4B13026	
		outer 32.5x2.6	4B17033	
	2	inner 29.0x4.1	4B23029	
		outer 36.0x3.2	4B27036	
	3	inner 36.0x3.2	4B33036	
		outer 43.5x3.4	4B37043	
	4	inner 36.0x3.9	4B43036	
		outer 43.5x3.4	4B47043	
5	inner 45.0x3.9	4B53045		
	outer 51.5x3.0	4B57052		
6	inner 45.0x3.9	4B63045		
	outer 54.0x4.5	4B67054		
7	inner 45.0x5.4	4B73045		
	outer 54.0x4.5	4B77054		
8	inner 54.0x4.5	4B83054		
	outer 63.0x4.1	4B87063		
TUBE TRILOBE - Length 1500mm	SERIES	TYPE	AGMASTER PART NUMBER	
Interchange with BONDIOLI & PAVESI (BYPY)  TRILOBE TUBE	1	inner 26.5x3.4	4B04526	
		outer 32.5x2.6	4B06533	
	2	inner 29.0x4.1	4B04529	
	3	outer & inner 36.0x3.2	4B06536	
	4	outer 43.5x3.4	4B06543	
	5	inner 36.0x3.9	4B04537	
	6	inner 45.0x3.9	4B04545	
	6	outer 51.5x3.0	4B06552	
	7	outer & inner 54.0x4.5	4B06554	
	7	inner 45.0x5.4	4B04546	
	8	outer 63.0x4.1	4B06563	




a

GEARBOXES


SLASHER GEARBOX

	Max H.P.	Weight Kg	Body Size	Mounting Holes Pattern	Ratios	TYPE
	25	18.0	18.0	164 x 244 x 137	121.2 sq	1:1.92 & 1:2.82
40	22.0	22.0	CG-25T			
55	33.0	33.0	196 x 237 x 152	171.5 pcd 4hole	1:1.47 & 1:1.92 & 1:2.3	CG-32L
	40	22.0				22.0
76	33.0	33.0	238 x 281.5 x 196	190 pcd 6hole	1:1.47 & 1:1.67 & 1:1.86 & 1:2.15	CG-45L
	33.0	33.0	238 x 292.2 x 196	176 pcd 6hole		CG-45T
	34.0	34.0				CG-65L
110	58.0	58.0	270 x 298 x 230	200 sq	1:1.25 & 1:1.46 & 1:1.5 & 1:1.92	CG-65T
	58.0	58.0				CG-65L-L
	58.0	58.0				CG-65L-T
					1:1 & 1:1.25 & 1:1.5 & 1:1.87	CG-90L
						CG-90T


POST HOLE DIGGER GEARBOX

	Max H.P.	Weight Kg	Body Size	Input Shaft	Output Shaft	Ratios	TYPE
	45	22.0	22.0	205x165	25mm	50mm	2.92:1
60	28.0	28.0	219x199	1 3/8x6	2"	3:1	GB-80-60
58	28.0	28.0	236x227	31.75	50mm	3.18:1	GB-85-60
90	50.0	50.0	280x278	37.75	2"	4:1	GB-90-90

ALUMINIUM - COMPACT BEVEL RIGHT ANGULAR GEARBOX

	Max H.P.	Weight Kg	Body Size	Mounting Holes Pattern	TYPE
	11	3.6	3.6	132x150x84	80 sq
15	4.7	4.7	149x176x96	90 sq	AL-15
25	7.5	7.5	164x204.5x105	108 sq	AL-25

STEEL - COMPACT BEVEL RIGHT ANGULAR GEARBOX

	Max H.P.	Weight Kg	Body Size	Mounting Holes Pattern	TYPE
	15	9.0	9.0	135x170x123	80 sq
28	11.0	11.0	170x196x130		T-28
36	15.0	15.0	178x203x145	88 sq	T-36
45	21.0	21.0	205x235x165	105x110 rect	T-45
55	23.0	23.0	205x277x205	100x115 rect	T-55
110	31.0	31.0	244x309x190	127 sq	T-110
150	55.0	55.0	312x374x260	170 sq	T-150
55	21.0	21.0	190x255x160	84x114 rect	TV-55
55	22.0	22.0	190x263x160		TV-55SG
82	42.0	42.0	225x324x220	100x140 rect	TV-82
145	48.0	48.0	250x367x210	120x150 rect	TV-145

Note: All Gearboxes available as Left or Right Hand direction with various Ratios and Shaft Sizes. A comprehensive catalogue is available with detailed specifications and other types. Refer to website or contact offices.

HEAD OFFICE & VIC NSW QLD TAS

WALTERSCHEID AUSTRALIA PTY LIMITED
ABN 47 006 204 922

9 Urban Street (PO Box 394)
Braeside VIC 3195

Telephone 03-9580 7300
Fax 03-9580 0379
Email walterscheid@walterscheid.com.au
Web www.walterscheid.com.au

An extensive range of products is available including Agmaster 3point linkage, Walterscheid Driveline systems and Tractor Attachment Systems. Please refer to our other product catalogues or to our website.

SA WA NT

JAYBEN AUSTRALIA PTY LTD
ABN 34 683 884 382

11 Fredericks Road Royal Park
PO Box 2020 Port Adelaide SA 5015

Telephone 08 8341 1377
Fax 08 8341 1677
Email jayben@jayben.com.au
Web www.jayben.com.au

NEW ZEALAND

WALTERSCHEID (NZ) LTD
63 Colombo St PO Box 5477
Hamilton New Zealand

Telephone 07-846 7040
Fax 07-846 7041
Email walterscheid@xtra.co.nz

CONTACT