

D I E S E L *Carry*tank®

**Polyethylene Tanks
for Diesel Transport
& Dispensing**



58-Gallon & 106-Gallon Polyethylene Tanks for Diesel Transport & Dispensing



These self-contained tanks come complete with a 12 volt pump, hose and automatic nozzle. Just hook-up to a 12 volt power source and start pumping.

Strap the Carrytank to a vehicle for transport or leave it in a convenient spot on site.

For vehicles requiring diesel exhaust fluid the 106-gallon Carrytank can be equipped with a separate DEF 10-gallon dispensing tank.

JohnDow Diesel Carrytanks are designed to transport and transfer diesel fuel wherever it's needed. These tanks provide the convenience of having a refueling station that goes wherever the job requires diesel fuel. Great for farm, construction, recreation, industrial, fleet and other markets.

Features Include

- Rugged linear polyethylene construction
- Available in 58-gallon and 106-gallon capacities
- 12 volt transfer pump delivers fuel at 10 gallons per minute
- Automatic dispensing nozzle
- Integrated forklift pockets for moving the tank when full
- Molded handles make it easy to lift and carry the tank when empty
- Integrated recesses are provided for securing tanks with ratchet straps during transport
- Equipped with protective and lockable cover
- 106-gallon model includes space for tool storage when DEF tank is NOT being utilized

Specifications	JDI-AFT58	JDI-AFT106
Capacity	58-gallon	106-gallon
Weight-empty	56 lbs.	118 lbs.
Power Cable	13 ft.	13 ft.
Delivery Hose	13 ft.	13 ft.

DIESEL Carrytank®

58-Gallon & 106-Gallon Easy to Use in the Field



12 volt transfer pump delivers fuel at 10 gallons per minute.



106-gallon has recessed area for tool storage or optional DEF tank.



Forklift pockets to lift and carry.



Carrytanks can be strapped into any vehicle for transport.



Protective cover can be locked for extra security.



Automatic dispensing nozzle.



IMPORTANT! USE WITH DIESEL FUEL ONLY!

JohnDow Carrytanks are for use with diesel fuel only. DO NOT use with gasoline or other fuels or liquids. It is the user's responsibility to comply with local, state and federal requirements pertaining to safe transportation, loading and discharge tank contents.

10-Gallon DEF Tank (optional)



This 10-gallon capacity tank makes it easy to carry and dispense DEF fluid along with diesel fuel. The JDI-DEF10 Diesel Exhaust Fluid tank is molded out of rugged polyethylene and is designed to fit in the storage compartment of the 106-gallon Carrytank. It is a self-contained tank that includes a separate 12 volt pump, dispensing hose and nozzle. It is powered by the same 12 volt source as the Carrytank with a separate power plug. No additional power cables are required.

Specifications	JDI-DEF10
Capacity	10-gallon
Delivery Hose	13 ft.
Weight-empty	13 lbs.



151 Snyder Avenue | Barberton, Ohio 44203
Toll-free phone: 1-800.433.0708 | Fax: 1-330.753.6419
www.johndow.com | customerservice@johndow.com